

setQCAssignmentMode

```
setQCAssignmentMode(qc, assignment, mode)
```

Description

Function to set the mode of the specified quick control assignment. The quick control assignment is determined by the [Layer](#) object, the index of the quick control and the index of the assignment itself. For example, `this.parent` defines the parent layer of the script module as the layer that contains the quick control. The `qc` argument is the index of the quick control and the `assignment` argument is the index of the assignment. The indices of the quick controls and the assignments both start counting from 1. The `mode` argument sets the mode of the quick control assignment.

Available in: Controller

Arguments

qc	The index of the quick control.	number
assignment	The index of the quick control assignment.	number
mode	The mode to be set. It can be determined via names or indices. See Quick Control Assignment Modes for details.	enum or number

Example

```
-- set the mode of the quick control assignment to absolute and adjust min and max to full range
layer = this.parent
qc = 1
assignment = 1

layer:setQCAssignmentType(qc, assignment, QCAssignmentType.absolute)
layer:setQCAssignmentMin(qc, assignment, 0)
layer:setQCAssignmentMax(qc, assignment, 100)
```

See Also: [setQCAssignmentParamId](#), [setQCAssignmentScope](#), [setQCAssignmentMin](#), [setQCAssignmentMax](#), [setQCAssignmentCurve](#), [setQCAssignmentBypass](#), [addQCAssignment](#), [removeQCAssignment](#), [getNumQCAssignments](#), [getQCAssignmentParamId](#), [getQCAssignmentScope](#), [getQCAssignmentMin](#), [getQCAssignmentMax](#), [getQCAssignmentCurve](#), [getQCAssignmentMode](#), [getQCAssignmentBypass](#), [Quick Control Assignment Modes](#)